OG SEATING

DESIGN ESSENTIALS

FEBRUARY 10, 2026

MOMENTUM
TEXTILES

CANTER SAND DOLLAR

QUARRY

EARTH

STORM

INK

TEAL GREEN

ONYX



SWIM BISCAY



SANDSTONE

CRIMSON

EARTHEN

INK

RIVERBANK

CALDERA



BEELINE EPU GEYSER

FOSSIL

ORIOLE

JETTY

PORTOBELLO

TIDAL

ECLIPSE



BOBBY AQUA

LEMON

MOSS

FUCHSIA

GLOW

IRIS

ANCHOR

ORIGIN STEEL

EUREKA

GAIA

ARUNDEL

POPPY

SAPPHIRE

JET

GUILD LONDON



CELADON

EARTHEN

DOVER

INDIGO

GARNET

SHALE



WIDGET BAJA



FOG

PERIDOT

BEDROCK

BRISTOL

JUNIPER

GRAPHITE

LENS GRAPHITE

SAND

NAVY

CRIMSON

SILVER

TERRA

NIGHT



WHIT EPU CASTLE



SMITH



OCEAN

DRIFTWOOD

ZEPHYR

NIGHTFALL

FLINT

AMUSE ADMIRAL



QUARTZ

MOCHA

POPPY

ALLOY

TECHNICAL INFORMATION

Grade	Width - Pattern	Fiber Content & Backing	Abrasion (D.R.)	Lightfastness	Approx. Repeats	Cl. Code
8	56" AMUSE	61% Post Consumer Recycled Polyester 39% Polyester Acrylic Backing	50,000	40 Hrs. Class 4	6 1/8" L, 7 1/2" W	WS
5	54" BEELINE EPU	100% EPU Polyurethane Polyester Backing	900,000	200 Hrs. Class 4		W BC (4:1)
5	54" BOBBY	68% Repreve Post Consumer Recycled Polyester, 32% Polyester Acrylic Backing	150,000	40 Hrs. Class 3.5	7/8" L, 1/2" W	WS
5	54" CANTER EPU	100% EPU Polyurethane Polyester Backing	1,000,000	200 Hrs. Class 4		W BC (4:1)
5	54" GUILD	71% Post Consumer Recycled Polyester, 29% Polyester Latex Backing	90,000	40 Hrs. Class 4.5		WS
6	56" LENS	81% Repreve Post Consumer Recycled Polyester, 19% Recycled Polyester Acrylic Backing	110,000	40 Hrs. Class 4.5	10" L, 7 1/2" W	W
5	58" ORIGIN	100% Post Consumer Recycled Polyester Acrylic Backing	282,000	40 Hrs. Class 4		WS
6	54" SWIM	65% Recycled Polyester, 35% Polyester Acrylic Backing	50,000	40 Hrs. Class 4.5	6 3/4" L, 7 1/2" W	WS
8	54" WHIT EPU	100% EPU Polyurethane Polyester Backing	500,000	200 Hrs. Class 4		W BC (4:1)
5	54" WIDGET	83% Post Consumer Recycled Polyester, 17% Post Industrial Recycled Polyester	100,000	40 Hrs. Class 4	1/2" L, 1/4" W	WS

*ACT® *Registered Certification Marks*

All Patterns meet California Bulletin 117-2013.
Primary Application: Upholstery Seating

EXPLANATION OF **ACT** ICONS FOR UPHOLSTERY

FIRE RETARDANCY

Flammability testing determined as fabric's resistance to burning.

PASSES
California 117-2013

COLORFASTNESS TO WET & DRY CROCKING

Colorfastness to wet & dry crocking refers to the rubbing off of color from the fabric onto clothing, hands or other materials and can occur under wet or dry conditions.

PASSES
AATCC 8-1974 Dry Crocking, Class 4 minimum; Wet Crocking, Class 3 minimum

COLORFASTNESS TO LIGHT

Colorfastness to light is the degree to which fabric will retain its color when exposed to light.

PASSES
AATCC 16A-1974 or AATCC 16E-1976; Class 4 minimum at 40 hours
NOTE: Class 4 minimum at 60 hours is recommended for direct sunlight exposure situations

PHYSICAL PROPERTIES

3 physical property tests include: brush pill test to determine a fabric's pilling. Breaking/tensile strength is the ability of a fabric to withstand tension without breaking or tearing. Seam slippage is the pulling apart of fabrics at the seams.

PASSES
Brush Pill ASTM D3511, 3-4 minimum
Breaking Strength ASTM D3597-D1682-64 (1975) 50 lbs. minimum in warp & weft
Seam Slippage ASTM D3597-D434-75 25 lbs. minimum in warp & weft

ABRASION

Abrasion is the ability of a fabric to withstand damage from wear and rubbing. There is a general contract specification as well as a heavy duty specification.

PASSES

General Contract — ASTM 3597 modified (#10 cotton duck); 15,000 double rubs Wyzenbeek Method

Heavy Duty — ASTM 3597 modified (#10 cotton duck); 30,000 double rubs Wyzenbeek Method or ASTM D4966 (with 21 oz. weight); 40,000 rubs Martindale Method

CLEANING CODE DEFINITIONS

W: Water-based foam or cleaner.

WS: Water-based cleaning agents or foam.

BC: Bleach Cleanable.

GREENGUARD Certified. CA Section 01350 compliant.
Eligible for CHPS Low-Emitting Material Credits.

OCI SEATING
14815 Radburn Ave.
Santa Fe Springs, CA 90670
Phone (562) 802-0464
Email: Sales@ociseating.com
Please visit our Website
www.ociseating.com

For memo samples contact:

MOMENTUM TEXTILES
800-366-6839
memosamples.com

1613