RYDER COLORS (27)



Mocha
RY-000



Chocolate
RY-010



Scarlet
RY-001



Saffron
RY-002



Parsley
RY-003



Herb
RY-013

Spruce
RY-023



Deep Sea
RY-004



Aegean
RY-014



Sapphire
RY-024



Calypso
RY-034

Navy
RY-044



Grape
RY-005

Black
RY-006



Dovetail
RY-016



Zinc
RY-026



Slate
RY-036

Shark Fin
RY-046



Caviar
RY-056

Blizzard
RY-007



Light Grey
RY-017

Pumice
RY-027



Griffin
RY-037



Camel
RY-047



Brandy
RY-008



Orange
RY-009



Burnt Sienna
RY-019

RYDER

RY-006, Black

TECHNICAL INFORMATION

CATEGORY: Upholstery
CONTENT: 88% Vinyl - Phthalate Free face, 12% Polyester backing
BACKING: Polyester
FINISH: Soil & Stain Resistant Top Coat
WIDTH: 54"
WEIGHT: 30 oz./ln yd
VISUAL REPEAT: None
SHOWN RAILROADED: No
DIRECTIONAL: No
APPROX. ROLL SIZE: 30 yards
APPLICATION: Indoor / Atrium

PERFORMANCE

ABRASION RESISTANCE: Exceeds 500,000 Double Rubs* (Wyzenbeek/Cotton Duck)
BREAKING STRENGTH: Warp 79.1 / Fill 70.5
COLORFASTNESS TO CROCKING: Dry: Class 4.5/Wet: Class 5
COLORFASTNESS TO LIGHT: Grade 4 at 200 hours
SEAM STRENGTH: Warp 46.3 / Fill 32.6
COLD CRACK: -10 °F
LIQUID BARRIER

* Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance.
Wyzenbeek results above 100,000 double rubs have not been shown to be an indicator of increased lifespan.

FLAMMABILITY

PASSES CAL TB 117-2013
NFPA 260/UFAC CLASS 1
AB 2998 COMPLIANT
FMVSS 302

REDUCED ENVIRONMENTAL IMPACT

PHTHALATE FREE
PFAS FREE
NO FR ADDITIVES
NO ANTIMICROBIAL ADDITIVES
NO ANTIBACTERIAL ADDITIVES
ANTIMONY FREE
BPA FREE
LEAD/HEAVY METAL FREE
FORMALDEHYDE FREE
TRIS FREE
PROP 65 COMPLIANT
VEGAN COMPLIANT
REACH COMPLIANT
HPD AVAILABLE
ROHS COMPLIANT
DOES NOT CONTAIN CONFLICT MINERALS

SPECIFICATIONS - RYDER (RY)

MAYERFABRICS

WARRANTY

STANDARD UPHOLSTERY | '5' FIVE YEAR WARRANTY
See Warranty Terms for more information.

DYE TRANSFER DISCLAIMER

Certain clothing and accessory dyes (such as those used on denim jeans) may migrate to lighter colors. This phenomenon is increased by humidity and temperature and is irreversible. Mayer Fabrics will not assume responsibility for dye transfer caused by external contaminants. Please check compatibility when using this product in combination with painted or varnished surfaces.

ADDITIONAL INFORMATION

Custom Colors: All patterns can be custom colored. Minimum yardage applies.

Digital Swatch Color Matching: Due to color variations on different monitors and color printers, actual swatch colors may vary slightly. Please request a memo sample from Mayer Fabrics to ensure proper color representation.

CLEANING & MAINTENANCE

WS: Water/Solvent Cleaner - Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding. Always rinse promptly with clean water.

CFC: Coated Fabrics Cleaning - When a spill/stain occurs wipe immediately with a clean dry cloth. Carefully remove the majority of the stain then follow the steps below.
Soap & Water - Remove ordinary dirt and smudges with a mild soap and water solution using a soft cloth or towel. Rinse with fresh water and wipe dry.
Non-abrasive Cleaners - If residue remains, use a straight application of the following cleaners: Fantastik or 409 and gently clean with a soft cloth. Rinse with fresh water and wipe dry.
Isopropyl Alcohol - More stubborn stains may be eliminated using a cotton cloth soaked in 70-91% isopropyl (rubbing) alcohol. Wipe without spreading stain to surrounding area. A second application should be applied with vigorous rubbing in a circular motion. For highly textured material, a soft brush is recommended to clean valleys and crevices. Rinse with fresh water and wipe dry.

BC: Bleach Cleanable - 1 parts bleach, 9 parts water = 10% bleach, 90% water solution. Do not clean / disinfect fabric for longer than 10 minutes using the 10% bleach solution. Always rinse promptly with clean water after applying the bleach solution. Failure to do so will void any and all warranties.

OCI SEATING